

Triage Note

* Final Report *

Result date: 30 October 2012 16:05 EDT
Result status: Auth (Verified)

* Final Report *

ED Triage Entered On: 10/30/2012 16:09 EDT
Performed On: 10/30/2012 16:05 EDT by

Assessment I

Chief Complaint: patient from ecf with altered ms, hallucinating/confused. multiple falls, trached patient. HD patient, has g-tube. low grade fevers.

IV Field Start: Yes

Affect/Behavior: Calm

Pain Scale Type: 0-10 Pain scale

Primary Pain Intensity: 8

Allergies Reviewed: Yes

Oxygen Therapy: Trach collar

Temperature Tympanic: 99.8DegF(Converted to: 37.7DegC)

Peripheral Pulse Rate: 115bpm (HI)

Respiratory Rate: 22br/min (HI)

Systolic Blood Pressure: 160mmHg (>HHI)

Diastolic Blood Pressure: 90mmHg

SpO2: 96%

Oxygen Flow Rate: 10L/min

Dosing Weight: 94kg(Converted to: 207lb 4oz, 207.235lb)

(R) Patient Weight: Stated

Height: 69inch(Converted to: 5ft 9inch, 175.26cm, 5.75ft)

Assessment II

Pregnancy Status: N/A

Fall Risk Order Detail: Yes

Languages: English

Dx Control/PMH

Triage Reason for Visit: Yes

(As Of: 10/30/2012 16:09:28 EDT)

Problems(Active)

Tracheostomy tube

Diagnoses(Active)

Triage Note

* Final Report *

Altered mental status

Date: 10/30/2012 ; *Diagnosis Type:* Reason For Visit ;
Confirmation: Complaint of ; *Clinical Dx:* Altered mental status
; *Classification:* Present On Admission ; *Clinical Service:*
Emergency medicine ; *Code:* SNOMED CT ; *Probability:* 0 ;
Diagnosis Code: 2576783013

ESI

Requires immediate
life-saving interventions? : No
Is this a high risk situation?
Consider AVPU score. : Yes
ESI recommended level : 2
ESI clinical agreement : Yes

DCP GENERIC CODE



Tracking Specialty : Main ED
Tracking Acuity : 2
Tracking Group : ED Tracking Group

Allergy

(As Of: 10/30/2012 16:09:28 EDT)

Allergies (Active)

NKA

Estimated Onset Date: Unspecified ; *Created By:* 
 *Reaction Status:* Active ; *Category:* Drug ; *Substance:*
NKA ; *Type:* Allergy ; *Updated By:* 
Reviewed Date: 10/28/2012 10:57 EDT

ED Note-Physician

Result date: 30 October 2012 19:22 EDT
Result status: Auth (Verified)

Fever

Attachments: None

Associated Diagnosis: Fever 780.60, Urinary tract infection 599.0; Septicemia 038.9

Basic Information

Time seen: Date & time 10/30/2012 19:23:00.

History source: Patient.

Arrival mode: Private vehicle.

History limitation: None.

Additional information: Chief Complaint from Nursing Triage Note : Chief Complaint.

10/30/2012 16:05 EDT Chief Complaint patient from ecf with altered ms, hallucinating/confused. multiple falls.
trached patient. HD patient, has g-tube. low grade fevers.

History of Present Illness

The patient presents with fever. The onset was 2 days ago. The course/duration of symptoms is fluctuating in intensity. Associated symptoms: weakness. Temperature is subjective. Risk factors consist of dialysis patient, S/P G tube and HTN ETOH, Pancreatitis. Prior episodes: frequent. Therapy today: Acetaminophen.

Review of Systems

Constitutional symptoms: Fever.

Skin symptoms: Negative except as documented in HPI.

Eye symptoms: Negative except as documented in HPI.

ENMT symptoms: Negative except as documented in HPI.

Respiratory symptoms: Cough.

Cardiovascular symptoms: Negative except as documented in HPI.

Gastrointestinal symptoms: Negative except as documented in HPI.

Genitourinary symptoms: Negative except as documented in HPI.

Musculoskeletal symptoms: Negative except as documented in HPI.

Neurologic symptoms: Negative except as documented in HPI.

Psychiatric symptoms: Negative except as documented in HPI.

Endocrine symptoms: Negative except as documented in HPI.

Hematologic/Lymphatic symptoms: Negative except as documented in HPI.

Health Status

Allergies: .

Allergic Reactions (All)

NKA

Past Medical/ Family/ Social History

Surgical history: .

Tarsal tunnel (32945011) in 2008 at 51 Years.

History of knee surgery (2692296016) in 1982 at 25 Years.

Cholecystectomy (64698015).

History of tonsillectomy (2790280011).

Comments:

10/06/2011 14:50 -

1985 does know specific dates

Family history: .

No family history items have been selected or recorded.

ED Note-Physician

Social history: Alcohol use: Occasionally.

Physical Examination

Vital Signs

Vital Signs.

10/30/2012 18:58 EDT **Peripheral Pulse Rate** 109 bpm HI
Respiratory Rate 20 br/min
Systolic Blood Pressure 152 mmHg >HHI
Diastolic Blood Pressure 105 mmHg >HHI
SpO2 98 %

10/30/2012 17:05 EDT **Peripheral Pulse Rate** 109 bpm HI
Respiratory Rate 20 br/min
Systolic Blood Pressure 154 mmHg >HHI
Diastolic Blood Pressure 90 mmHg
Mean Arterial Pressure 111.333 mmHg
SpO2 100 %
FI02 50 %

10/30/2012 16:26 EDT Temperature Rectal 100.0 DegF
10/30/2012 16:05 EDT Temperature Tympanic 99.8 DegF
Peripheral Pulse Rate 115 bpm HI
Respiratory Rate 22 br/min HI
Systolic Blood Pressure 160 mmHg >HHI
Diastolic Blood Pressure 90 mmHg
SpO2 96 %

Measurements.

10/30/2012 17:05 EDT Height 69 inch
Patient Weight Stated
BSA 2.14
Body Mass Index 31 m2
Dosing Weight 94 kg

10/30/2012 16:05 EDT Height 69 inch
Patient Weight Stated
Dosing Weight 94 kg

Basic Oxygen Information.

10/30/2012 19:19 EDT Chart Annotations update
10/30/2012 18:58 EDT **Peripheral Pulse Rate** 109 bpm HI
Respiratory Rate 20 br/min
Systolic Blood Pressure 152 mmHg >HHI
Diastolic Blood Pressure 105 mmHg >HHI
SpO2 98 %
Oxygen Therapy Trach collar

10/30/2012 18:15 EDT Chart Annotations update
10/30/2012 18:09 EDT Reg Antithrombotic By End of Day 2 Goal Met
Reg STK Antithrombotic by End Day 2 Yes
10/30/2012 18:09 EDT acetaminophen 650 mg mg
10/30/2012 18:05 EDT Chart Annotations Urine
10/30/2012 18:04 EDT WBC 6.8 thous/mm3
RBC 3.18 mill/mm3 LOW
HGB 8.8 g/dL LOW
HCT 26.6 % LOW

ED Note-Physician

MCV 83.7 fL
 MCH 27.7 pg
 MCHC 33.1 g/dL
 RDW 16.3 % HI
 Platelet 351 thous/mm3
 MPV 7.5 fL
 Gran % 69.4 % HI
 Lymph % 18.9 % LOW
 Mono % 11.1 % HI
 Eos % 0.3 %
 Baso % 0.3 %
 Gran # 4.7 thous/mm3
 Lymph # 1.3 thous/mm3 LOW
 Mono # 0.8 thous/mm3
 Eos # 0.0 thous/mm3
 Baso # 0.0 thous/mm3
 Lactic Acid 1.0 mmol/L
 UA Spec Grav 1.013
 UA pH 7.0
 UA Leuk Est Large
 UA Nitrite Negative
 UA Protein 30 mg/dl
 UA Ketones Negative
 UA Glucose Negative
 UA Bill Negative
 UA Urobilinogen 0.2 mg/dL
 UA Blood Small
 UA WBC/hpf >100
 UA RBC/hpf 2-5
 UA Squam Epithelial Rare
 UA Bacteria Many
 UA Mucous Few
 Influenza A Ag Neg
 Influenza B Ag Neg

Source Flu A&B Nasopharyngeal

10/30/2012 17:42 EDT 20 gauge Peripheral saline lock Left Hand

Field Start Date: 10/30/2012 17:42

PIV Started at Other Facility: No

Peripheral IV Activity: Assess

Peripheral IV Site Condition: No complications

Peripheral IV Drainage Description: None

Peripheral IV Dressing: Dry, Intact, Transparent

Peripheral IV Patency: Flushed/No complications, Good blood return

Peripheral Line Saline Flush: 10 mL

20 gauge Peripheral saline lock Left Arm

IV Start Date: 10/30/2012 17:43

PIV Started at Other Facility: No

Peripheral IV Activity: Start

Peripheral IV Drainage Description: None

Peripheral IV Dressing: Dry, Intact, Transparent

ED Note-Physician

Peripheral IV Patency: Flushed/No complications, Good blood return
 Peripheral Line Saline Flush: 10 mL
 10/30/2012 17:19 EDT ED Note-Nursing (Modified)
 10/30/2012 17:05 EDT Height 69 inch
 Patient Weight Stated
 BSA 2.14
 Body Mass Index 31 m2
 Dosing Weight 94 kg
Peripheral Pulse Rate 109 bpm HI
 Respiratory Rate 20 br/min
Systolic Blood Pressure 154 mmHg >HHI
 Diastolic Blood Pressure 90 mmHg
 Mean Arterial Pressure 111.333 mmHg
 SpO2 100 %
 FiO2 50 %
 Pain Scale Type FLACC Scale
 Pain Score- Face 0- No particular expression or smile
 Pain Score- Legs 0- Normal position or relaxed
 Pain Score- Activity 0- Lying quietly, normal position, or moves easily
 Pain Score- Cry 0- No cry (awake or asleep)
 Pain Score- Consolability 0- Content, relaxed
 Head & Neck Assessment PF Assessment norms met
 Head & Neck Assessment Norms Area is free from bony deformities, facial expression is sym, No bony depressions/crepitus, Normal eye and eyelid position, Normal ear position, No drainage or bleeding, No periorbital edema, No ecchymosis or bruising, Normal EOM

Cardiovascular Assessment PF Exceptions noted
 Cardiovascular Symptoms Edema
 Nail Bed Color Pink
 Capillary Refill < 3 seconds
 Heart Rhythm Regular
 Radial Pulse, Left 2+ Normal
 Radial Pulse, Right 2+ Normal
 Dorsalis Pedis Pulse, Left 2+ Normal
 Dorsalis Pedis Pulse, Right 2+ Normal
 Edema Localized
 Edema, Left Pretibial 2+ mild/4mm
 Edema, Right Pretibial 2+ mild/4mm
 Edema, Left Ankle 2+ mild/4mm
 Edema, Right Ankle 2+ mild/4mm
 Edema, Left Pedal 2+ mild/4mm
 Edema, Right Pedal 2+ mild/4mm
 Edema, Left Lower Leg 2+ mild/4mm
 Edema, Right Lower Leg 2+ mild/4mm
 Cardiac Rhythm Sinus tachycardia
 Respiratory Assessment PF Exceptions noted
 Respirations Shallow, Other: PT HAS TRACH
 Respiratory Pattern Description Regular
 Breath Sounds Auscultated Anterior and posterior
 Lung Sounds Left Rhonchi

Lung Sounds Right	Rhonchi	
Left Upper Lobe Breath Sounds	Rhonchi	
Right Upper Lobe Breath Sounds	Rhonchi	
Right Middle Lobe Breath Sounds	Rhonchi	
Left Lower Lobe Breath Sounds	Rhonchi	
Right Lower Lobe Breath Sounds	Rhonchi	
All Lobes Breath Sounds	Rhonchi	
Cough	Non-Productive	
Sputum Color	Other: WHITISH GREEN	
Oxygen Therapy	Trach collar	
GI Assessment PF	Exceptions noted	
GI Symptoms	Incontinence, Other: G-TUBE: UNABLE TO AUSCULTATE	

WHEN PLACEMENT CHECKED, DO NOT USE UNTIL PLACEMENT VERIFIED.

Abdomen Palpation	Non-Tender, Soft	
Bowel Sounds LUQ	Present	
Bowel Sounds RUQ	Present	
Bowel Sounds LLQ	Present	
Bowel Sounds RLQ	Present	
GU Assessment PF	Exceptions noted	
Urinary Symptoms	Incontinence	
Pregnancy Status	N/A	
Lactating	N/A	
Musculoskeletal Assessment	Assessment norms met	
Musculoskeletal Assessment Norms	No orthopedic devices, No joint or musculoskeletal abnormalities, Full range of motion	
Integumentary Assessment PF	Exceptions noted	
Skin Color	Pink	
Skin Temperature	Warm	
Skin Turgor	Elastic	
Mucous Membrane Color	Pink	
Skin Abnormality Present	Yes	
Incision/Wound, Ulcer, Skin Tear	Present Yes	
Surgical drains/tubes present	Yes	
Skin Abnormality/Location Grid	Skin Abnormality/Location Grid	
I/W Present on Admission-Site A	Yes	
Site A Healed	No	
Incision/Wound Type-Site A	Other: WOUND	
Incision/Wound Location-Site A	Ankle, right	
Incision/Wound Length-Site A	6.5 cm	
Incision/Wound Width-Site A	6 cm	
Length x Width Site A	0 cm	
Incision/Wound Surrounding Tissue-Site A	Healthy/Intact	
I/W Pink Color Percentage-Site A	100%	
Incision/Wound Dressing-Site A	Intact, Apply, Changed	
I/W Present on Admission-Site B	Yes	
Site B Healed	No	
Incision/Wound Type-Site B	Other: WOUND	
Incision/Wound Location-Site B	Knee, left	
Incision/Wound Length-Site B	2.2 cm	
Incision/Wound Width-Site B	2.2 cm	
Incision/Wound Depth outlier-Site B	Depth is <0.25 cm	

ED Note-Physician

Length x Width Site B < 0.3 cm
 Incision/Wound Surrounding Tissue-Site B Callous
 I/W Black Color Percentage-Site B 30%
 I/W Pink Color Percentage-Site B 50%
 I/W Yellow Color Percentage-Site B 20%
 Incision/Wound Dressing-Site B Intact, Apply, Changed
 Neuro Assessment PF Exceptions noted
 Neurological Symptoms Confusion/Disorientation
 Gait Unable to assess
 Extremity Movement Equal
 Characteristics of Speech Clear
 Facial Symmetry Symmetric
 Level of Consciousness Alert
 Loss of Consciousness Unknown
 Hallucinations Present Auditory hallucinations, Visual hallucinations
 Eye Opening Response Glasgow Spontaneously
 Best Motor Response Glasgow Obeys simple commands
 Best Verbal Response Glasgow Confused (Modified)
 Glasgow Coma Score 14 (Modified)
 Pupil Description, Left Regular
 Pupil Descriptions, Right Regular
 Pupil Reaction, Left Brisk
 Pupil Reaction, Right Brisk
 LUE Strength 4 moves against some resistance
 RUE Strength 4 moves against some resistance
 LLE Strength 4 moves against some resistance
 RLE Strength 4 moves against some resistance
 LUE Tone Normal
 RUE Tone Normal
 RLE Tone Normal
 RUE Sensation Intact
 LLE Sensation Intact
 RLE Sensation Intact
 Affect/Behavior Calm
 Orientation Assessment Not oriented to place, Not oriented to time
 Feels Safe at Home? Unable to assess
 Depression Medical History Yes
 Reg Cigarette Smoking Last 365 Days No
 Skin Breakdown Risk Triage Yes
 FLACC Pain Scale FLACC Scale
 Tobacco Use Never
 ED Assessment Adult Form ED Assessment Adult Form (Modified)
 ED Assessment - Nurse ED Assessment Adult (Modified)

10/30/2012 16:26 EDT Temperature Rectal 100.0 DegF
 Vital Signs Form Vital Signs Form
 10/30/2012 16:23 EDT ED Note-Nursing initial (In Progress)
 10/30/2012 16:05 EDT Reg STK Adm Elective Carotid Intervent No
 Reg VTE Surgical Patient No
 Reg VTE ICU Surgical Patient No
 Reg VTE Present on Arrival No
 10/30/2012 16:05 EDT Reg PN Clinical Trial vA No

ED Note-Physician

Reg SC Clinical Trial No
Reg STK Clinical Trial No
Reg VTE Relevant Clinical Trial No
10/30/2012 16:05 EDT Reg AMI Relevant Clinical Trial vA No
Reg HF Relevant Clinical Trial No
10/30/2012 16:05 EDT Chief Complaint patient from ecf with altered ms,
hallucinating/confused. multiple falls. trached patient. HD patient, has g-tube. low grade fevers.
Height 69 inch
Patient Weight Stated
Dosing Weight 94 kg
Temperature Tympanic 99.8 DegF
Peripheral Pulse Rate 115 bpm HI
Respiratory Rate 22 br/min HI
Systolic Blood Pressure 160 mmHg >HHI
Diastolic Blood Pressure 90 mmHg
SpO2 96 %
Primary Pain Intensity 8
Pain Scale Type 0-10 Pain scale
Oxygen Therapy Trach collar
Oxygen Flow Rate 10 L/min
Pregnancy Status N/A
Affect/Behavior Calm
Languages English
IV Field Start Yes
ESI life-saving interventions needed No
ESI high risk situation/AVPU score eval Yes
ESI recommended level 2
ESI clinical agreement Yes
Tracking Group ED Tracking Group
Tracking Acuity 2
Allergies Reviewed Yes
Fall Risk Order Detail Yes
ED Triage Form ED Triage Form
Triage Note ED Triage

General: Alert.

Skin: Warm.

Head: Normocephalic.

Neck: Trachea midline.

Eye: Normal conjunctiva.

Ears, nose, mouth and throat: dry mucus membrane.

Cardiovascular: Regular rate and rhythm.

Respiratory: Lungs are clear to auscultation.

Chest wall: No tenderness.

Back: Nontender.

Gastrointestinal: Soft, Nontender, Non distended. Normal bowel sounds and No organomegaly.

Genitourinary: No tenderness.

Neurological: Alert and oriented to person, place, time, and situation.

Lymphatics: No lymphadenopathy.

Psychiatric: Cooperative.

Medical Decision Making

Differential Diagnosis: Fever, Urosepsis.

Rationale: + grossly infected urine, will give abx and admit. G tube in place.

ED Note-Physician



Impression and Plan

Diagnosis

Fever 780.60 - Emergency medicine, Medical
Urinary tract infection 599.0 - Emergency medicine, Medical
Septicemia 038.9 - Emergency medicine, Medical

Plan

Notes: sick appearing infected urine, will check labs and admit. CXr negative.



History and Physical

* Final Report *

Result date: 31 October 2012 0:13 EDT
Result status: Auth (Verified)

*** Final Report ***

HISTORY AND PHYSICAL

Estimated Arrival Date:
Admit Date: 10/30/12
Registration Date: 10/30/12

HISTORY OF PRESENT ILLNESS:

██████████ is a 55-year-old male with a history of rhabdomyolysis secondary to being found down approximately four months ago with the development of end-stage renal disease secondary to rhabdomyolysis and also initiated on arctic sun since he was found down and resuscitated who was discharged from Waterbury Hospital two weeks ago and returns from ██████████ with altered mental status, fever, and hallucinations. Per the W-10 from ██████████ the patient was sent to the emergency room recently with hypokalemia and returned but has had mental status changes that have been declining since, and the patient was very confused, hallucinating, and developed low grade temperatures. In the emergency room the patient was found to be febrile to 100, tachycardic to 110, with a respiratory rate of 22, and a urinalysis that showed large leukocyte esterase and greater than 100 WBC's. The patient was given ceftriaxone IV times one and was admitted to the floor.

PAST MEDICAL HISTORY:

Alcohol abuse.
Hypertension.
Depression.
Pancreatitis.
Sleep apnea.
Appendectomy.
Cholecystectomy.
Ulcerative colitis.
End-stage renal disease secondary to rhabdomyolysis with hemodialysis on Tuesday, Thursday, Saturday.
Methicillin sensitive staph aureus bacteremia.

MEDICATIONS:

The patient is on Lisinopril 40 mg by mouth daily.
Metoprolol 37.5 mg by mouth twice daily.
Multivitamin one tab daily.
Pantoprazole 40 mg by mouth daily.

History and Physical

* Final Report *

Water bolus 150 cc every eight hours through G-tube.

Tube feeds with Jevity 1.0 60 cc an hour from 10:00 p.m. to 4:00 p.m. for a total of 18 hours.

Milk of Magnesia 30 mL by mouth every day as needed for no bowel movement in three days.

Bisacodyl suppository one suppository per rectum daily as needed for no bowel movement if Milk of Magnesia is ineffective.

Fleet enema one enema per rectum daily as needed for no bowel movement if bisacodyl is ineffective.

Tylenol 650 mg by mouth every four hours as needed for discomfort or temperature.

Tylenol 650 mg suppository per rectum every four hours as needed for discomfort or temperature.

Vicodin one tab by mouth every four hours as needed for pain.

Codeine promethazine 10 / 6.25 per 5 mL of syrup 5 mL every six hours as needed for cough.

Methanol topical one throat lozenge oral every two hours as needed for sore throat.

Lexapro 10 mg by mouth daily.

Natural Tears two drops to both eyes at night.

Heparin 5,000 units every eight hours subcutaneously.

Albuterol nebulizer 0.63 mg three times daily.

Ferrous sulfate 300 mg per 5 mL, 5 mL three times daily.

Sevelamer 2.4 grams by mouth three times daily.

Flomax 0.4 mg by mouth daily.

Cymbalta 60 mg by mouth daily.

Folic acid 1 mg by mouth daily.

Midodrine two tabs by mouth one time per day as needed.

Ambien 5 mg by mouth at night as needed for insomnia.

Morphine 50 mg by mouth every four hours as needed for pain.

Lunesta 2 mg as needed for insomnia.

ALLERGIES:

No known drug allergies.

SOCIAL HISTORY:

The patient was living alone and on disability without any illegal drug use but has come to us from

where he denies any alcohol use, although he has a history of alcoholism.

FAMILY HISTORY:

Family history significant for alcoholism in the mother with pancreatic cancer.

PHYSICAL EXAMINATION:

VITAL SIGNS: Temperature of 99.3, heart rate 110, blood pressure 153/102 with respiratory rate of 22, saturating 97% on trach collar 20%.

History and Physical

* Final Report *

GENERAL: Confused, hallucinating, seeing smoke coming from the wall, but no apparent distress. Dry mucous membranes. Extraocular movement intact. PERRIA.

RESPIRATORY: Clear to auscultation bilaterally. No crackles. No wheezes.

CARDIOVASCULAR: Tachycardic but regular rate and rhythm. No murmurs, rubs, or gallop. Hickman on right chest, clean, dry, and intact.

ABDOMEN: Soft, nontender, nondistended, with a G-tube that is clean, dry, and intact.

EXTREMITIES: Warm and well-perfused with approximately four beats of clonus in both ankles bilaterally and tremulous legs.

LABORATORY DATA:

Complete Blood Count with WBC of 6.8, hemoglobin and hematocrit of 8.8 over 26.6, platelets 351, with 69.4% granulocytes. Basic Metabolic Panel was notable for a sodium of 140, potassium of 2.8, chloride 97, bicarbonate of 27, anion gap of 16, glucose of 101, BUN of 10, creatinine of 0.75, calcium 9.3, mag of 1.2, phosphorous of 2.6, albumin of 3, normal liver function tests, normal lactate, normal amylase, and normal lipase. Urinalysis shows specific gravity of 1013, large leukocyte esterase, greater than 100 WBC's and many bacteria. Influenza swab for influenza A and B was negative.

ASSESSMENT AND PLAN:

55-year-old male with a history of rhabdomyolysis secondary to a fall with development of end-stage renal disease and recent initiation on arctic sun protocol but now presenting from rehabilitation with altered mental status, fevers, and increased temperature and increased respiratory rate and increased heart rate found to have a urinalysis positive for leukocyte esterase with greater than 100 WBC's, consistent with a urinary tract infection.

PLAN BY ISSUE:

1. Infectious Disease. Urinary tract infection as most likely source. Will check chest x-ray. Send blood cultures. Follow up urine cultures. Previous urine grew Methicillin sensitive staph aureus so will continue ceftriaxone 1 gram intravenous every 24 hours and follow for speciation and sensitivities of culture.
2. End-stage renal disease. Hemodialysis Tuesday, Thursday, Saturday. Will consult Renal dialysis. Continue sevelamer 2400 mg three times daily.
3. Altered mental status. Could be secondary to infection. Will hold Ambien and other medications that may worsen delirium. The patient recently started on Lexapro. Will hold this as well.
4. Cardiovascular. Continue metoprolol 37.5 mg twice daily and Lisinopril 40 mg by mouth daily. We will check electrocardiogram. The patient is tachycardic and want to ensure that it is sinus.
5. Normocytic anemia. Most likely secondary to end-stage renal disease. Continue ferrous sulfate three times daily.
6. Psychiatric. Continue fluoxetine 60 mg by mouth daily.

History and Physical

* Final Report *

7. Alcohol abuse. Continue folic acid 1 mg by mouth daily.
8. FEN. Follow up chest x-ray for G-tube placement that was done in the emergency room. Continue Protonix 40 mg by mouth daily. Replete potassium and magnesium as these could be causing tremors in the lower extremities. Continue tube feeds with Jevity 1.0 60 cc per hour times 18 hours.
9. Prophylaxis. Subcutaneous heparin for deep venous thrombosis prophylaxis.
10. Code status. The patient is a full code.

Signature Line


Electronically Signed by the following provider(s):

on 11/01/2012 01:17 PM EDT

DD: 10/31/2012 12:13 AM EDT

DT: 10/31/2012 09:47 AM EDT

TR: TMB



DATE & TIME	DISC-PLINE	PROBLEM(S) / GOALS / PLAN	PATIENT PROGRESS
10/30 9 p		PGY-1 Admission Note	
		CC: AMS	
BDI		HPI:	
		██████ is a 55yo male with a long history of alcohol abuse who was recently hospitalized here for an extended period of time after being found down, now sent in from ECF for AMS. Patient was admitted to ICU on 8/22 after being found down. He required arctic sun protocol and was started on hemodialysis owing to what was ultimately ESRD caused by rhabdomyolysis. His hospital course was notable for persistent fevers of unknown origin and tachycardia that, despite extensive infectious, inflammatory, malignancy (Imaging) workup, were never explained. Additional features of hospitalization included C.diff infection, MSSA bacteremia, knee eschars requiring surgical debridement, and NSTEMI type II, as well as trach and G-tube placement. He was discharged 10/11 to ██████ of Waterbury and they report he was stable until this past Sunday, when he began to develop mental status changes. He was sent to the ED here that day, where he was found to be hypokalemic and was returned to ECF. According to the referral report, his mental status has continued to decline since then – with patient being very confused and hallucinating. The ECF planned to embark on their own workup, but when he fell today they sent him in.	
		On interview patient is very confused and hallucinating. He reported seeing smoke in the room, being in the parking lot, that he only experienced pain in the knees when driving, and other such non-sequiturs. As such the interview was not very informative, in terms of direct responses to medical questions. A review of systems was attempted but not completed successfully.	
		PMH/PSH:	
		Depression	
		HTN	
		ESRD	
		OSA	
		h/o pancreatitis, esophagitis, gastritis	
		Alcohol Abuse	
		FUO	



WATERBURY HOSPITAL

64 Robbins Street • Waterbury, CT 06708

INTERDISCIPLINARY PROGRESS NOTE

DISCIPLINES MD RN LPN HC SW PT OT ST RCP RD RPH PCC PA

DATE & TIME	DISCIPLINE	PROBLEM(S) / GOALS / PLAN	PATIENT PROGRESS
10/30 9x		EH:	
		Not elicited	
B2L		SH:	
		Now in FCF; formerly lived alone; long time alcohol abuser; formerly worked in chemical manufacturing company	
		Tobacco/Alcohol/Drugs:	
		Former smoker; long history of alcohol abuse prior to recent hospitalization	
		Home Meds: <i>750-015-127</i>	
		Codeine promethazine cough syrup	
		Menthol topical/cepaol	
		Metoprolol 37.5mg q12h	
		Lisinopril 40mg qd	
		MVI	
		Protonix 40mg qd	
		Lexapro 10mg qam	
		HSQ	
		Albuterol INH	
		Ferrous sulfate TID	
		Sevalamer TID	
		Flomax qhs	
		Cymbalta 60mg qd	
		Midodrine 10mg qd prn	
		Zolpidem 5mg qhs prn	
		Morphine 15mg q4h prn	
		Allergies:	
		NKA	



WATERBURY HOSPITAL

64 Robbins Street • Waterbury, CT 06708

INTERDISCIPLINARY PROGRESS NOTE

DISCIPLINES: MD RN LPN HC SW PT OT ST RCP RD RPH PCC PA

DATE & TIME	DISC-PLINE	PROBLEM(S) / GOALS / PLAN	PATIENT PROGRESS
10/30 9 p		PCP: [REDACTED]	
		Contact: [REDACTED]	
		Vitals: 99.1 F, 98 HR, 22 RR, 124/66 BP, 94% O2, 91% 102	
		99.8 115 22 160/90	
		Physical Exam: 94%	
		Gen: cachectic, hunched, stable	
		HEENT: PERRL, ROM (+)	
		Card: S1S2 (+), JVP	
		Pulm: good at rest; crackles	
		Abd: soft, non-tender; no hwy mass to rt of umb	
		Ext: edema (+) h/o edema on lower	
		Neuro: 4/5 strength bilat (+) good finger grip	
		Labs:	
		6.8 / 8.8 / 357	
		140 / 97 / 10	
		28 / 22 / 0.8	
		WBC 12.2	
		platelets 266	
		albumin 3.0	
		creatinine 2.9	
		AST 24	
		ALT 14	
		alk phos 112	
		U/A: large leuk est - WBC >100/hpf many bacteria	
		Imaging:	
		CT Head (10/28): IMPRESSION: No acute intracranial process.	



WATERBURY HOSPITAL

64 Robbins Street • Waterbury, CT 06708

INTERDISCIPLINARY PROGRESS NOTE

DISCIPLINES MD RN LPN HC SW PT OT ST RCP RD RPH PCC PA

DATE & TIME	DISC-PLINE	PROBLEM(S) / GOALS / PLAN	PATIENT PROGRESS
10/20 9p		A/P: [REDACTED] is a 55yo male with a long history of alcohol abuse, now with ESRD, FUO, tracheostomy, G-tube sent in from ECF for AMS, confusions, hallucinations. Workup largely unrevealing with the exception of hypokalemia, hypomagnesemia, U/A showing large leuk est and >100WBC/hpf	
		AMS: -likely secondary to urinary tract infection, given baseline cognitive deficits -previous CT head neg -other etiologies to consider are seizure, hypoxemia, drugs/meds (though unlikely given how closely he is monitored and how limited he is functionally)	
		UTI: -3 out of 4 SIRS -Ceftriaxone pending urine C&S -f/u CXR, blood culture	
		Electrolyte abnormalities -given hypoK -- get EKG -given spasticity and twitching would check ionized calcium -monitor BMP; replete all lytes	
		ESRD -HD T/Th/Sa -renal consult - iron repletion	wound care
		Psych -cont duloxetine	
		PET: partly G-Hex Pbx: prokinetic, H2O2 CODE: FIRM	

HOUSESTAFF MEDICAL TEAM
PROGRESS NOTE

DATE 10/31/12	Overnight Events / Subjective: NAE O/N		Fingerstick glucoses. Ø
TIME 6 AM			
Meds.			
MVI 1 tab D'	Tempm: 100	Tempc: 98.2	HR: 116 (95-116)
Pantoprazole 40mg D'	BP: 148/80 (149/69 - 152/102)	RR: 18 (14-22)	O ₂ Sat: 98% (94-98)
Flomax 0.4mg D'	Relevant Physical CEN thorax , RAO HEENT: normal in place RESP: lungs CTAD CV: PRR ABDO: soft MTD HAS EXT: from edema		I/O: I: 260 O: 2 urine, 1 stool
Sevelamer 2400mg TID			PRNs (past 24hr) Ø
Melprol 37.5mg BID			
Lisinopril 40mg D'			
Folic Acid 1mg D'			
Ferrous sulfate 325mg TID			
Cymbalta 60mg D'			
Albuterol nebul TID			
Viradon PRN pain			
Nystatin Pouch to back TID			
Abx (Day#)	Relevant Labs/Imaging <div style="display: flex; justify-content: space-around;"><div>89 8 335 27.1</div><div><div style="display: flex; align-items: center;"><div style="border: 1px solid black; padding: 2px;">144</div><div style="border: 1px solid black; padding: 2px;">100</div><div style="border: 1px solid black; padding: 2px;">10</div></div><div style="display: flex; align-items: center;"><div style="border: 1px solid black; padding: 2px;">3.3</div><div style="border: 1px solid black; padding: 2px;">2.6</div><div style="border: 1px solid black; padding: 2px;">0.75</div><div style="border: 1px solid black; padding: 2px;">94</div></div></div><div style="text-align: right;">AC-15</div></div> <div style="display: flex; justify-content: flex-end;"><div>3.3 1.4 2.7</div><div>UC: BL:</div></div>		
CTX 1gm IV D'	Working Diagnosis/Current Plan: SS go M 2 hr of pulseless 1/p mltic in + EAD 2 1/2 Rhbdo plu whole E fecu, AMS + TRR 2 V/A ch UTI. See Admission H+P for full H+P ID: 3/4 SIRS criteria 2 source most likely urine infection - Plu blood Cx - Plu urine Cx - Cont CTX 1gm IV D' - Plu CxR AMS - Hold benzos, Ambien + Ceapro - Cont Cymbalta - Treat infection HTV: - Cont Lisinopril + Melprol Anemia: - Continue Ferrus sulfate TID ETOH Abuse: - Cont Folic Acid 1mg D' EAD: - Plu renal consult - HD 1/2 1/2 - Cont Sevelamer 2400 TID GI: - Cont Pantax - Cont tube feeds + free H ₂ O - Nutrition enough Resp: - Cont Albuterol - Cont humidified tank collar		
IV fluids. Ø			
Lines: Heckman PIV			
Foley? Y (N)			
Restraints? Y (N)			
CODE Full Code	DVT prophylaxis: 455	Dispo:	

INTERDISCIPLINARY PROGRESS NOTE

WATERBURY HOSPITAL

Waterbury, CT



7019

DISCIPLINES: MD RN LPN HC SW PT OT ST RCP RD RPH PCP PA

DATE & TIME	DISCIPLINE	PROBLEM(S)/GOALS/PLAN	PATIENT PROGRESS
10/31/12	2 YSP	Med Attending	
		Pt interviewed & examined by me. Aggravating history per [redacted]. Pt still currently unable to give a history given AMS. See their notes for H&I, PMH, SH, med. allergies.	
		Tm 99.3° T 98.4° 104-116 141-165/65-112 98% RA	
		Gen in poor, vst 11ECM empty, 1 had most	
		Prob: stroke large CVA abd soft RT NO mass	
		Ext @ edema	
		Labs WBC 8 h+ 2.8 on admission UA @ 12/12/12	
		AIO: UAMS ? ? to VTE - continue antibiotics & IV	
		(2) VTE - as above	
		(3) Hypoholemia - Cont repletion	
		(4) Fract - ask Pulm if 1ho can be d/c'd	
		All other plans per [redacted] nti.	